

## GV-650 Video Capture Card

### GV-650 Video Capture Card



GV-650 BNC



GV-650 D-Type



#### Specifications

Input Type	GV-650 BNC: BNC X 4 GV-650 D-Type: DB15 X 2
Video Input(s)	4, 8, 12, 16 Cams
Audio Input(s)	2 Channels
Recording Rate At 320 X 240 Resolution	60 fps (NTSC), 50 fps (PAL)
Display Rate	60 fps (NTSC), 50 fps (PAL)
Video Resolution - NTSC/PAL	Full D1, Half D1, CIF
Compression Format	Geo MPEG4, Geo MPEG4 (ASP), Geo H264, Geo H264 V2
GV-DSP Support	Yes
GV-A16 Support	Yes
GV-NET Card Support	Yes
GV-NET/IO Card Support	Yes
Dimensions	GV-650 BNC: 175 (W) x 98 (H) mm
	GV-650 D-Type: 175 (W) x 98 (H) mm

**Note:** GV-650 is currently not compatible with VIA series and ATI series chipset motherboards.

#### Minimum System Requirements

OS Supported	Windows 2000 / Windows XP / Windows Server 2003 / Windows Vista
--------------	---

CPU	Pentium 4-2.4GHz with Hyper-threading or above
RAM	2 x 512 MB dual channel
HDD	80GB (recommended)
VGA	ATI Radeon 9550 or above NVIDIA 6200 or above
DirectX	9.0 or above

**Accessories**



5-16 Cams BNC Video Extension Card  
& 4 ports Audio Extension Card



1-8 Cams Video/Audio Cable



9-16 Cams Video Cable